

FIRST FLOOR PLAN

AREA=1643 SQ.FT.

LOGS TO BE W.R.C. 16" DIA. MIDSPAN

GENERAL NOTES:

ALL DIMENSIONS ARE CONSTRUCTION DIMENSIONS.
ALL DIMENSIONS TO BE VERIFIED ON SITE BY GEN. CONTRACTOR BEFORE STARTING CONSTRUCTION.
THIS BUILDING WAS DESIGNED IN ACCORDANCE WITH THE INTERNATIONAL BUILDING CODE 2003

ALL LINTELS TO BE 3 1/8" X 9" LAM LINTEL UNLESS OTHERWISE NOTED


SECOND FLOOR SYSTEM TO BE:
3/4" T&G PLYWOOD SUBFLOOR
2X8 @ 16" O.C. FL. JSTS.
W/ X-BRIDGING @ 7' MAX.
CL.G. FINISH TO OWNERS SPECS.

ALL LOG SIZES NOTED TO BE MID SPAN DIAMETERS.
ALL LOG WALL AND LOG HEIGHTS INDICATED ON PLAN ARE MINIMUM HGT.

TOW= TOP OF WALL
TOW= 0 @ TOP OF SUBFLOOR
(1ST FLOOR FRAMING SYSTEM)
T= TOP OF LOG
B= BOTTOM OF LOG
TYP.= TYPICAL

THRU BOLTS TO BE TIGHTENED & SCREWJACKS TO BE LOWERED EVERY 3 MONTHS FOR 1ST YEAR AND TWICE A YEAR FOR NEXT 4 YEARS AS HOUSE LOGWORK SETTLES DOWN AS LOGS LOOSE MOISTURE CONTENT & COMPRESS UNDER LOADS

ALL DBL LOG STRINGERS TO BE 1" DIA. THRU BOLTED @ 4' O.C. TO BE TIGHTENED REGULARLY TO ENSURE MAX. FRICTION BETWEEN LOGS



SECTIONS TO BE VIEWED IN THIS DIRECTION

SECTIONS TO BE VIEWED IN THIS DIRECTION

